



Manufacturers & Exporters



ARTHO INSTRUMENTS SET


Mori Gate, Muslim Bazar, Sialkot, Pakistan.

 +92 310 7279526

 brandtierre@gmail.com

 www.brandtierintl.com

Broken Screw Removal Instruments Set Premium Quality



Description:

- | | | |
|--------------------------------|-----------------------------------|-------------------------------------|
| 1 - Cross Screwdriver | 1 - Trephine, 6.5mm | 1 - Quick Handle, T-Style |
| 1 - Slotted Screwdriver, 3mm | 1 - Trephine, 8mm | 1 - Quick Handle, Straight |
| 1 - Slotted Screwdriver, 6mm | 1 - Hexagon Slip Extractor, 1.2mm | 1 - Trephine, 4.5mm |
| 1 - Square Screwdriver, 1.2mm | 1 - Hexagon Slip Extractor, 2.5mm | 1 - Trephine, 3.5mm |
| 1 - Square Screwdriver, 1.5mm | 1 - Hexagon Slip Extractor, 2.7mm | 1 - Bone Screw Holding Forceps |
| 1 - Trepan, 4mm | 1 - Hexagon Slip Extractor, 3.5mm | 1 - Bone Gouge, 8mm |
| 1 - Trepan, 5mm | 1 - Hexagon Slip Extractor, 4.0mm | 1 - Sterilization Case Overall |
| 1 - Trepan, 6.5mm | 1 - Torx Screwdriver, T8 | Dimensions: 13 Inch |
| 1 - Hexagon Screwdriver, 1.5mm | 1 - Torx Screwdriver, T9 | L x 8.5 Inch W x 3.25 Inch |
| 1 - Hexagon Screwdriver, 2.0mm | 1 - Torx Screwdriver, T10 | HInstrumentation Case 100% Guaranty |
| 1 - Hexagon Screwdriver, 2.5mm | 1 - Torx Screwdriver, T15 | |
| 1 - Hexagon Screwdriver, 3.0mm | 1 - Torx Screwdriver, T18 | |
| 1 - Hexagon Screwdriver, 3.5mm | 1 - Torx Screwdriver, T20 | |
| 1 - Hexagon Screwdriver, 4.0mm | 1 - Torx Screwdriver, T25 | |
| 1 - Hexagon Screwdriver, 4.5mm | 1 - Torx Screwdriver, T30 | |
| 1 - Hexagon Screwdriver, 5.0mm | 1 - Spine T-Style Spanner | |
| 1 - Hexagon Screwdriver, 5.5mm | 1 - Drill Bit, 4mm | |
| 1 - Trephine, 2.0mm | 1 - Drill Bit, 5mm | |
| 1 - Trephine, 2.7mm | 1 - Drill Bit, 6mm | |
| 1 - Trephine, 4.0mm | 1 - Reamer 1 - Sharp Hook | |
| 1 - Trephine, 5.0mm | | |

MARTIN ARM Neurosurgery retractor liver System Complete Orthopedic Set



Description:1 - Premium Grade Martin Arm
Surgical Retractor System Complete Set
Product Description
Martin Arm Surgical Retractor System
Complete Set BRAND NEW Quality A+1
Bed Support1 Rod1 Moveable Arm3
Wires as shown in Picture

Bookwalter Kit Retractor System Surgical Premium Grade Quality Set With Box



Description:

Ring + Blade TRAY
1" POST COUPLING BALFOUR RETRACTOR
HORIZONTAL FLEX BAR
HARRINGTON FLEX BAR
MEDIUM OVAL RING
SEGMENTED RING
GELPI RETRACTOR
MALLEABLE RETRACTOR 2(2"x6"/51MMX152MM)
MALLEABLE RETRACTOR 1(3"x6"/76MMX152MM)
KELLY RETRACTOR 2(2"x3"/51MMX76MM)
KELLY RETRACTOR 1(2"x4"/51MMX110MM)
KELLY RETRACTOR 1(2"x5"/51MMX127MM)
KELLY RETRACTOR 1(2"x6"/51MMX152MM)
6 TILT RATCHET MECHANISMS
2 RATCHET MACHANISMS


LEYLA BRAIN RETRACTOR SET



Description:
COMPLETE SET WITH WOODEN BOX
ITEMS IN BOX

- 1) 2 x Socket Joints
- 2) 1 x Coupling Head
- 3) 1 x Holding Rod
- 4) 2 x Flexible arms with Fix Base
- 5) 2 x Flat Spatulas with Holders

Distal Radius 2.4mm Orthopedic Best Instruments Set Aluminum Box Screw And Plate



DISTAL RADIUS
LOCKING PLATE 2.4mm


LOCKING & COTICAL SCREWS

Description:

1 – Sterilisation Box
2 – 10 Plates with 2.7 mm locking holes
(Material: 316 L Stainless Steel)
3 – Locking Screws for 10 Plates
(Material: 316 L Stainless Steel)
4 – Screw Driver
5–2 Bone liver
6 – 2 Sleeves
7 – 3 Drill Bits
8 – Depth Gauge
9 – Sleeves Handle
10 – Drill & Tap Guider
Details & Size Screw
Total Number of Screw (110 Screws)
Cortical screws
(316 L Stainless Steel Material)
8mm (5 Quantities)
10mm (5 Quantities)
12mm (5 Quantities)
14mm (5 Quantities)

16mm (5 Quantities)
18mm (5 Quantities)
20mm (5 Quantities)
22mm (5 Quantities)
24mm (5 Quantities)
26mm (5 Quantities)
28mm (5 Quantities)
Locking screws (316 L Stainless Steel Material)
8mm (5 Quantities)
10mm (5 Quantities)
12mm (5 Quantities)
14mm (5 Quantities)
16mm (5 Quantities)
18mm (5 Quantities)
20mm (5 Quantities)
22mm (5 Quantities)
24mm (5 Quantities)
26mm (5 Quantities)
28mm (5 Quantities)
Premium Grade Stainless Steel


DHS & DCS Orthopedic Instruments Set with Aluminum Box



Description:

DHS/DCS Reamer 1PC
DHS/DCS Reamer 1PC
DHS/DCS Tap 12.5mm 1PC
DHS/DCS Angleguide 150' 1PC
DHS/DCS Angleguide 45' 1PC
DHS/DCS Impacter 1PC
Depth gauge Large 1PC
Screw Driver 4.5mm 1PC
Drill Sleeve 3.5mm 4.5mm 1PC
Drill Sleeve 4.5mm 6.5mm 1PC
Drill Guide 3.5mm 4.5mm 1PC
Missling gauge 1PC
DHS/DCS Pana 1PC
DHS/DCS Pana Sleeve 2PC
Drill bit 3.5mm 2PC
Drill bit 4.5mm 2PC
Tap Handle 4.5mm
Tap Handle 4.6mm

SPINE SURGERY INSTRUMENTS SET WITH ALUMINUM BOX



Description:

- | | |
|--|--|
| 1 -Awl-
Probe,Straight-
Probe,Curved | 26 -Rod Reducer Plier |
| 4 -Probe,Straight | 27 -Rocker |
| 5 -Double end Probe | 28 -Counter Reduction Sleeve Wrench |
| 6 -fixed pin driver | 29 -Final Plug Driver |
| 7 -ball fixed pin | 30 -SW4.0 Driver shaft |
| 8 -cylinder fixed pin | 31 -Curved Compressor |
| 9 -Tap | 32 -Curved Distractor |
| 10 -Tap | 33 -Rod Rotation Wrench |
| 11 -Tap | 34 -Multi-axial Reduction Screw Hex driver |
| 12 -Tap | 35 -Fix angle Reduction screws driver |
| 13 -Ratchet Handle | 36 -Rod Reducer Plier-Reduction Extension sleeve A |
| 14 -Multi-axial Screw Hex driver | 37 -Rod Reducer Plier-Reduction Extension sleeve B |
| 15 -Fix angle screws driver | 38 -Reduction screw Rocker |
| 16 -T-handle | 39 -Reduction Tab Breaker |
| 17 -Wrenching bar | 40 -Rod Rotation Forcep |
| 18 -Plug Starter,Hex | 41 -10Nm Torsion Limited Driver |
| 19 -Pre-Plug Driver | 42 -Crosslink Meter |
| 20 -20cm Template rod | 43 -Crosslink driver |
| 21 -Rod Bender | 44 -Crosslink Plate Bender |
| 22 -Rod holder | 45 -Crosslink plate holder |
| 23 -Sagittal Plane In-Situ Bender | 46 -Crosslink Plate Locker Screw Driver |
| 24 -Sagittal Plane In-Situ Bender | 47 -Crosslink plate holder(Φ 3.0) |
| 25 -Rod Pusher | 48 -Instrument case Box |

Mis Tubular Retractor Spine System Complete Set



Description:

(7) 16 mm Cups

(7) 18 mm Cups

(7) 20 mm Cups

(7) Dilators (5 mm x 50 mm)(1)

Complete Bed Support System with Malleable Arm


K-Wire Instruments Complete Set with Sterilize case



Description:

- 1Wire Tightener Handle with two pegs1
- 2Plier cum cutter1
- 3Wire bending pliers1
- 4Wire Passer2
- 5Vice Grip1
- 6Forceps for holding cerclage wire2
- 7Wire with eye of 1.0mm dia., length 280mm10
- 8Wire with eye of 1.25mm dia., length 280mm10
- 9Wire coil, 1 each of 1.0 and 1.25mm dia.2
- 10K Wire Dia. 1.0mm, Length 150mm10
- 11K Wire Dia. 1.25mm, Length 150mm10
- 12K Wire Dia. 1.5mm, Length 150mm10
- 13K Wire Dia. 2.0mm, Length 150mm10
- 14K Wire Dia. 2.5mm, Length 150mm10
- 15K Wire Dia. 3.0mm, Length 150mm10

Large Fragment Instruments Complete Set with Sterilize case



Description:

Drill Bit $\Phi 3.2 \times 150\text{mm}$ 2
Drill Bit $\Phi 4.5 \times 150\text{mm}$ 2
Countersink $\Phi 8$ 1
Tap cortex 4.5mm 1
Tap cancellous 6.5mm 1
Screw Forceps 1
4.5 mm DCP Drill Guide neutral and load 1
Double Drill Sleeve $\Phi 3.2/6.5$ 1
Universal Drill Guide $\Phi 3.2/4.5$ 1
Template 11x120 1
Template 12x155 1
Template 12x212 1
Depth Gauge 0-90 1
Extraction Screw For Hexagonal 3.5mm, conical 1
Hollow Reamer 8mm 1
Screwdriver Hexagonal 3.5mm 1
Reduction Forceps with points, broad, ratchet, 210mm 1
Reduction Forceps with serrated Jaw, ratchet, 210mm 1
Self-centering Bone Holding Forceps, 260mm 2
Periosteal Elevator 8mm, round 1

Periosteal Elevator 16mm, flat 1
Hohmann Retractor, Width 44mm 2
Bending Iron L/R 1
quick coupling t handle 1
screwdriver shaft 4.51
Surgical Sterilization Box

Small Fragment Instruments Complete Set with Sterilize case



Description:

- 1* Elevator 9mm
- 1* Elevator 12mm
- 2* Bending Spanner
- 1* Screw Extractor
- 1* Double Drill Guide 2.5-3.5
- 1* Double Drill Guide 3.0-4.0
- 1* Double Drill Guide 2.5
- 2* Drill bit 2.5mm
- 2* Drill bit 3.0mm
- 1* Screw driver Hex SW2.5
- 1* Screw Tap HA3.5
- 1* Screw Tap HB4.0
- 1* Depth Gauges 0-60mm
- 1* Countersink Drill
- 1* Reduction Forceps (small)
- 1* Point Reduction Forceps (small)
- 2* Bone Holding Forceps Self-Centering
- 1* Antislip Screw Driver
- 1* Screw Rack
- 1* Aluminum Case

Austin Moore Set

Description:

1. Austin moore guage 01
 2. Austin moore impactor 01
 3. Rasp narrow 01
 4. Rasp broad 01
 5. Tommy bars 02
 6. Bone skid 01
 7. Box Chisel 01
 8. Cork screw 01
 9. Nail extractor set (contain 2 weights, 1 rod , 2 hooks) 05
- stainless steel Total Quantity. With BOX 14 Pcs

Orthopedic Hudson Brace Hand Drill Set of 7 Pcs



Description:

- 1 Brace. Length 10.2", Net Weight 20.31 oz.
 - 1 Extension piece for brace. Length 3.9", Net Weight 3.42 oz.
 - 1 Cushing 14mm Flat Drill. Length 4", Net Weight 1.90 oz.
 - 1 Burr, diameter 9mm, Cylindrical. Length 4", Net Weight 1.83 oz.
 - 1 Burr, diameter 14mm, Cylindrical. Length 3.9", Net Weight 2.22 oz.
 - 1 Burr, diameter 16mm, Spherical. Length 3.9", Net Weight 2.26 oz.
 - 1 Burr, diameter 22mm, Spherical. Length 3.9", Net Weight 2.48 oz.
- Premium Quality Box


Thompson Retractor Complete Set Orthopedic Surgical Instruments Stainless Steel



Description:

- | | |
|---|---|
| 1 Rail Clamps 26"(55cm) tall with 2 cam joint 2 PCS | 21 Harrington Blades 64mm * 152mm 1 PCS |
| 2 Crossbars Angled arm 18"(8" * 10") 3 PCS | 22 Wide Balfour Blades 83mm*57mm 1 PCS |
| 3 Bilateral crossbars 7 1/4" * 13 1/2" * 7 1/4" 1 PCS | 23 Wide Balfour Blades 102mm*57mm 1 PCS |
| 4 Bilateral Crossbar Hinge 11" * 8 1/2" * 11" 1 PCS | 24 Wide Balfour Blades 114mm*57mm 1 PCS |
| 5 Retractor Handles S-Lock (non-angling) 8" 3 PCS | |
| 6 Retractor Handles Lock Clip-on Angling 10" 1 PCS | |
| 7 General Surgery Blades 76mm * 51mm 1 PCS | |
| 8 General Surgery Blades 83mm * 76mm 2 PCS | |
| 9 Kelly Blades 64mm * 76mm 1 PCS | |
| 10 Kelly Blades 76mm * 89mm 1 PCS | |
| 11 Malleable Blades 13mm * 90mm 1 PCS | |
| 12 Malleable Blades 13mm * 152mm 1 PCS | |
| 13 Malleable Blades 13mm * 203mm 1 PCS | |
| 14 Malleable Blades 25mm * 203mm 1 PCS | |
| 15 Malleable Blades 25mm * 104mm 1 PCS | |
| 16 Malleable Blades 51mm * 203mm 1 PCS | |
| 17 Malleable Blades 64mm * 254mm 1 PCS | |
| 18 Malleable Blades 76mm * 254mm 1 PCS | |
| 19 Malleable Blades 102mm * 254mm 1 PCS | |
| 20 St.Marks Blades 64mm * 178mm 1 PCS | |

Anterior Total Hip Surgical Instruments System Retractor Set With Included Table-Mounted Controlled System



Description:
It will be same as like as picture

Arthroscopy Shoulder Instruments Set with Aluminum Box



Description:

SHOULDER INSTRUMENT CASE
PROBE, HOOK 5.4mm, TIP W/5mm MARKINGS
BIRDBEAK, 2.75mm, 45° UP TIP
BIRDBEAK, 2.75mm, 22° UP TIP
SUTURE RETRIEVER, ø3.4mm, STRAIGHT
SHOULDER DEBRIDEMENT RASP
KNOT PUSHER, CLOSED END
SLAP RASP
GLENOID RASP
SHOULDER TISSUE ELEVATOR
SHOULDER TISSUE ELEVATOR
ROTATOR CUFF GRASPER, 4.2mm
CURETTE BOTH SIDE CUT, 5.4mm RING
PENETRATOR SUTURE RETRIEVER, 15°
EXTRA LONG SWITCHING STICK
SUTURE HOOK
SUTURE CUTTER, OPEN ENDED, LEFT NOTCH
FIBER TAPE CUTTER
FIBER TAPE RETRIEVER W/SR HANDLE
PUNCH FOR 4.5mm PUSH LOCK &

CORK SCREW
CORK SCREW PUNCH 5.5/6.5MM SWIVEL
LOCK
PUNCH FOR 3mm PUSH LOCK
SCORPION SUTURE PASSER, HUMPBACK
SPEAR, TROCART
TIP OBTURATOR
DRILL FOR SHORT 2.9mm PUSH LOCK
DRILL FOR 3.5mm PUSH LOCK
PassPort Hemostat, Curved
PassPort Measuring Guide



+92 310 7279526




brandtierr@gmail.com



www.brandtierintl.com

High Quality Stainless Neurosurgery Mayfield 3 Point Skull Clamp with Headrest



Description:
It will be same as like as picture

Omni Tract Complete Retractor Set





Description:

Swivel Blade Holder 2
Post 1
Wishbone 1
Arm 1
Swivel Blade 1
Standard Mayo 2
Renal Vein Retractor (2.5cm x 15.2cm) 2
Richardson Stoney Retractor 1
Deaver 1
Kelly Retractor 1
Mayo Retractor Blade 1
Swivel Blade Holder 1
Splanchnic (5cm x 11.4cm) 1
Deaver Swivel Blade 1
Malleable Blade 1
Circle Clamp Assembly 7
Omni Clamp 1

Flexarm Nathen Liver Retractor Set

Description:
Bed Attachment with Arm


Femoral Interlocking Intramedullary Nails Instrument Set For Femur Bone Fracture Surgery



Description:

- | | |
|---|----------------------------|
| 1 Universal Joint 1 | 21 Guide Wire 1 |
| 2 Drill Sleeve 2 | 22 Hammer 1 |
| 3 Open Wrench1 | 23 Guide Rod 1 |
| 4 Quick Coupling T-Handle 1 | 24 Connector Rod 1 |
| 5 Screwdriver 1 | 25 Nail Connector 1 |
| 6 Drill Sleeve 1 | 26 Location Rod 1 |
| 7 Hex Wrench1 | 27 Sighting Device Handle1 |
| 8 Hex Wrench1 | 28 Bolt 1 |
| 9 Drill Sleeve 1 | 29 Bolt1 |
| 10 Drill Sleeve1 | 30 Bolt1 |
| 11 T-handle Drill Bit 2 | 31 Bolt 1 |
| 12 Depth Gauge 10-100mm 1 | 32 Fixed Connector 1 |
| 13 Drill Bit 5.2*300mm 1 | 33 Location Forcep 1 |
| 14 Drill Bit $\phi 4.0 \times 300$ 1 | 34 Connector1 |
| 15 Drill Bit with Limitor $\phi 4.0 \times 300$ 1 | 35 Distal Guider 1 |
| 16 Reamer 10mm 1 | 36 Box 1 |
| 17 Reamer 11mm 1 | |
| 18 Reamer 12mm 1 | |
| 19 Reamer 13mm 1 | |
| 20 AWL 1 | |

Humerus Interlocking Nail Set With box



Description:

- 1 Proximal Zig
- 2 Kirschner Wire with Trocar Tip 2.5mm Dia., 300mm Length
- 3 Projectile Reamer
- 4 Compression Connection Screw
- 5 Protection Sleeve 11.0 / 8.0mm Dia.
- 6 Drill Sleeve 8.0/2.7mm Dia.
- 7 Trocar 8.0mm Dia. (For UHN Nail)
- 8 Compression Device for UHN
- 9 Awl with T – Handle, Cannulated
- 10 Coupling Block for UHN Extraction
- 11 Hex Nut for Connecting Screw for UHN
- 12 Guide Wire 1.8mm Dia, 650mm Length
- 13 Distal Locking Device (L-Shape)
- 14 Connecting Screw for UHN Cannulated – Stainless Steel
- 15 Spanner Stainless Steel – 17mm
- 16 Cannulated Hammer Guide For Coincal Bolt
- 17 Detachable Slide Hammer 400 gms.
- 18 Flexible Reamer Shaft Fixed Head 7.5mm Dia.-S.S. 17-4-PH1

- 19 Flexible Reamer Shaft Fixed Head 6.5mm Dia.-S.S. 17-4-PH1
- 20 Flexible Reamer Shaft Fixed Head 7.0mm Dia.-S.S. 17-4-PH1
- 21 Flexible Reamer Shaft Fixed Head 6.0mm Dia.-S.S. 17-4-PH1
- 22 Quick Coupling Handle T-Type
- 23 UHN Depth Gauge
- 24 Extra Long Screw Driver 3.5mm Tip
- 25 Drill Bit – S.S. – Quick Coupling End Dia. 2.7mm X 200mm Long
- 26 Spanner – 11mm
- 27 Graphic Box For Instruments Set With Two Tray and One 3.4mm Bolt Tray Fixed

Mueller-Type Cement Removal Instruments Set



Description:

Gouge: 11.5mm, negative

8) "V" Splitter

V-Shaped Chisel: 7mm

19) Cement Splitting Osteotome

Shaft Length: 240mm

110) Saddle Punch

Shaft Length: 240mm 1

Punch: 16.5mm x 6.5mm

11) Cement Removal Osteotome , Short

Shaft Length: 150mm 1

Osteotome: 8mm

12) Cement Removal Osteotome , Long


Shaft Length: 240mm 1

Osteotome: 8mm 13) 4.4mm Drill 4.4mm 1

6.5mm Cannulated Screw Instrument Set



Description:
Depth Gauge(0-120mm)
Threaded Guider Wire 2.5mm
Threaded Guider Wire 2.5mm
Cannulated Drill Bit with Limited Block 4.5mm
Cannulated Countersink $\Phi 9$
Hex Key
Wrench for Adjustable Parallel Wire Guider
Multiple Wire Guider
Tap Cannulated Screw 6.5mm
Screwdriver Hexagonal 3.5mm
Cleaning Stylet 2.5mm
Drill Sleeve
Adjustable Parallel Wire Guider
Cannulated Screwdriver Hexagonal 3.5mm
Aluminum Box

6.0mm Spinal Pedicle Screw Set**Description:**

Insert Device for Fixation Pin

Rod Pusher

Parallel Spreader

Parallel Compressor

Rod Twist

Pedicle Probe Straight

Pedicle Probe Bent

AWL

T-handle Quick Coupling

Rod Holding Forcep

Rod Bender

Counter Torque for Screw Cutter

Rod Pushing Forcep

Straight Handle Quick Coupling

Counter Torque

Aluminium Box

Feeler for Screw Channel Straight

Hex Screwdriver for Screw Nut

Tap 4.0

Tap 5.5

Screwdriver Hex 3.5mm for Crosslink Nut

Tap 6.0

Tap 7.0

Feeler for Screw Channel Bent

Screw Cutter for Long Arm Screw

Screw Nut Holder Hex

Crosslink Nut Holder Hex

In-situ Bending Iron


Screwdriver for Polyaxial Screw

Screwdriver for Monoaxial Screw

Trail Rod



Anterior Cervical Fixation System Instrument Set Orthopedic



Description:

Descr Plate and Screw Box option:

Drill Bit Ø2.5

Drill Bit Ø2.5

Screwdriver Sleeve

Screwdriver Sleeve

Curette

Screwdriver Hex SW2.5

Tap with Stopper

AWL

Nut Screwdriver

Brace Screwdriver

Screwdriver Hex SW2.5

Hand Drill

Plate Holder Forcep Cervical Hook

Guider


Distractor

Location Screw Screwdriver

Brace Screw

Plate Bender ,Location Screw , Aluminium Box



Anterior Cervical Retractor Kit**Description:**

Retractor Blade Curved 20*30
Retractor Blade Curved 20*30
4 Toothed Retractor Blade 20*30
4 Toothed Retractor Blade 20*30
Retractor Blade Curved 24*40
Retractor Blade Curved 24*40
5 Toothed Retractor Blade 24*40
5 Toothed Retractor Blade 24*40
Retractor Blade Blunt 24*40
Retractor Blade Blunt 24*40
Retractor Holding Forcep
Retractor Blade Curved 20*50
Retractor Blade Curved 20*50
4 Toothed Retractor Blade 24*40
4 Toothed Retractor Blade 24*40
Retractor Blade Curved 25*60
Retractor Blade Curved 25*60
5 Toothed Retractor Blade 25*60
5 Toothed Retractor Blade 25*60
Retractor Blade Blunt 25*60
Retractor Blade Blunt 25*60
Aluminium Box

Phantom CS Classic Blade System Set




Description:

H BLADE, 23 X 30 MM, SILVER, 1
Phantom CS Blades
LONG TOOTH BLADE, 23 X 35 MM, BLUE, 1
Phantom CS Blades
LONG TOOTH BLADE, 23 X 40 MM, RED, 1
Phantom CS Blades
LONG TOOTH BLADE, 23 X 45 MM, GREEN, 1
Phantom CS Blades
LONG TOOTH BLADE, 23 X 50 MM, PURPLE, 1
Phantom CS Blades
LONG TOOTH BLADE, 23 X 55 MM, BLACK, 1
Phantom CS Blades
LONG TOOTH BLADE, 23 X 60 MM, GOLD, 1
Phantom CS Blades
LONG TOOTH BLADE, 23 X 65 MM, GRAY, 1
Phantom CS Blades
MICRO BLUNT BLADE, 14 X 35 MM, BLUE, 2
Phantom CS Blades
MICRO BLUNT BLADE, 14 X 40 MM, RED, 2
Phantom CS Blades
MICRO BLUNT BLADE, 14 X 45 MM, GREEN, 2
Phantom CS Blades
MICRO BLUNT BLADE, 14 X 50 MM, PURPLE, 2
Phantom CS Blades
MICRO BLUNT BLADE, 14 X 55 MM, BLACK, 2
Phantom CS Blades
MICRO BLUNT BLADE, 14 X 60 MM, GOLD, 2
Phantom CS Blades
MICRO SHORT TOOTH BLADE, 14 X 35 MM, BLUE, 2

Phantom CS Blades
MICRO SHORT TOOTH BLADE, 14 X 40 MM, RED, 2
Phantom CS Blades
MICRO SHORT TOOTH BLADE, 14 X 45 MM, GREEN, 2
Phantom CS Blades
MICRO SHORT TOOTH BLADE, 14 X 50 MM, PURPLE, 2
Phantom CS Blades
MICRO SHORT TOOTH BLADE, 14 X 55 MM, BLACK, 2
Phantom CS Blades
MICRO SHORT TOOTH BLADE, 14 X 60 MM, GOLD, 2
Phantom CS Retraction Components
TRANSVERSE RETRACTOR,
SIDE-LOAD, SURE-LOCK, 120 MM RACK1
Phantom CS Retraction Components
LONGITUDINAL RETRACTOR,
RING HANDLE, SIDE-LOAD, SURE-LOCK1
Phantom CS Handheld Retraction
RETRACTOR BLADE HANDLE, TWIST RELEASE2
Phantom Series Accessories
CERVICAL DEPTH GAUGE1
Phantom CS Distraction
DISTRACTION SCREWDRIVER, SPRINGLESS2
Phantom CS Distraction
DISTRATOR, FIXED ARMS, LEFT, 120 MM RACK1
Phantom CS Distraction
DISTRATOR, FIXED ARMS, RIGHT, 120 MM RACK1
Phantom Series Instrument Trays
INSTRUMENT TRAY, CS-1600

ACL / PCL Reconstruction System Instrument Set



Description:

Main zig 1 Elbow aimer1
 PCL Tibial 1 PCL Femoral1 , Angle Bullate1
 Graft passing 2.4mm Drill Bit1
 Graft passing pin (Beadth pin)1
 Cannulated Tibial Reamer, Dia.6.0mm1
 Cannulated Tibial Reamer, Dia.7.0mm1
 Cannulated Tibial Reamer, Dia.8.0mm1
 Cannulated Tibial Reamer, Dia.9.0mm1
 Cannulated Tibial Reamer, Dia.10.0mm1
 Cannulated Tibial Reamer, Dia.11.0mm1
 Cannulated Femoral Flowertip Reamer, Dia.6.0mm1
 Cannulated Femoral Flowertip Reamer, Dia.7.0mm1
 Cannulated Femoral Flowertip Reamer, Dia.8.0mm1
 Cannulated Femoral Flowertip Reamer, Dia.9.0mm1
 Cannulated Femoral Flowertip Reamer, Dia.10.0mm1
 Cannulated Femoral Flowertip Reamer, Dia.11.0mm1
 Depth Gauge for ACL/PCL reconstruction1
 Femoral Aimer, 5mm1 , Femoral Aimer, 7mm1
 Tunnel Plug, 9-10 mm1
 Tunnel Dilator, 7mm1 ,
 Tunnel Dilator, 8mm1
 Tunnel Dilator, 9mm1
 T-Handle for Tunnel Dilators1
 Cannulated screwdriver for BioLoc interference screw1
 Impactor for spiked ligament staple1
 Arthroscopic Probe1
 Microfracture Awl, 30°1
 Microfracture Awl, 45°1
 Microfracture Awl, 90°1
 Graft Prep Station1 , Graft Sizing Block1
 Tendon Stripper, Closed end, 6mm1
 Tendon Stripper, Open end, 7mm1
 Straight Rasp1 Convex Rasp 1
 Femoral PCL Elevator 1
 Trocar Pin 1
 Empty Container for Knee Arthroscopy Instruments 1
 Tunnel Plug, 7-8 mm1 , Tunnel Plug, 8-9 mm

Orthopedic Bone Screw Driver Quick Coupling handle 9 Pieces Set



Description:

1. Screw Driver 1.5 mm
 2. Screw Driver 2.0 mm
 3. Screw Driver 2.5 mm
 4. Screw Driver 3.0 mm
 5. Screw Driver 3.5 mm
 6. Screw Driver 4.0 mm
 7. Screw Driver 4.5 mm
 8. Screw Driver 5.0 mm
- With Quick Coupling handle